

The invention claimed is:

1. [Previously presented] A monitoring device useful in seeking to retrieve a lost item, said lost item having a hologram attributable to surface components selectively responsive to a laser beam having an explicit

wavelength selected from the atmospheric-penetrative identifying group consisting of 880-nm, 1310 nm and 1550 nm, said monitoring device comprising:

a source of electric power;

means actuated by said electrical power for generating a laser beam having a wavelength matching the wavelength for which said components are selectively responsive;


receptor cells responsive to the feedback light from said laser beam;

amplifier means amplifying the electrical signal generated by said feedback when the laser beam scans a search zone possibly containing such temporarily lost item; and

indicating means alerting a searcher to the varying intensity of such feedback when the laser beam scans a search zone possibly containing such temporarily lost item.

2. [original] The monitoring means of claim 1 in which the indicating means is an audio signal

3. -[original] The monitoring means of claim 1 in which the laser beam has a wavelength of 1310 nm.



**4 [allowed] A method of seeking to retrieve an item that potentially might become temporarily lost which method comprises:**

**imparting to an outer surface of said item a hologram by depositing thereon components selectively responsive to a laser beam having an explicit wavelength selected from the atmospheric penetrating identifying group of wavelengths consisting of 88 nm, 1310 nm, and 1550 nm;  
directing from a monitoring device controlled by the searcher and initially remote from said temporarily lost item a laser beam having the explicit wavelength corresponding to the wavelength for which said hologram is selectively responsive, said laser beam being directed into a search zone in which the temporarily lost item is believed to be, and said laser beam stimulating the reflection from such components of feedback light;**

**said monitoring device comprising receptor cells responsive to such feedback light, such receptor cells generating an electrical signal ;**

**said monitoring device comprising amplifying means for amplifying such electric signal;**

**said monitoring device comprising indicating means actuated by such amplifying means for alerting the searcher to the varying intensity of such indicating means when the laser beam scans a search zone possibly containing such temporarily lost item.**

**5. [allowed] The method of claim 4 for locating a temporarily lost item in which the hologram is responsive to a laser beam having a wavelength identified as the atmospheric penetrating wavelength of 1310 nm.**

**6. [allowed] The method of claim 4 in which the lost item is a launched experimental device.**

**7. [Allowed] The method of claim 4 in which the lost item is a golf ball.**

**8. [amended] An item having a hologramized badge selectively responsive to a laser beam having an atmospheric-penetrating identifying wavelength selected from the group consisting of 880 nm, 1310 nm, and 1550 nm, such badge being useful in the method in which [[ a laser beam matching such hologramized badge is directed ]] a searcher initially remote from the lost item directs from a monitor a laser beam having the explicit wavelength corresponding to the wavelength for which the hologram is selectively responsive into a searching zone and the feedback light is monitored in an effort to locate the temporarily lost item.**

**9. [ withdrawn ] A golf ball of claim 8]]**

**10. [new] An item in accordance with Claim 8 which is a golf ball.**